

Annex I: List of crops covered under the Multilateral System

Food crops

| Crop | Genus | Observations |
|-------------------|---|---|
| Breadfruit | <i>Artocarpus</i> | Breadfruit only. |
| Asparagus | <i>Asparagus</i> | |
| Oat | <i>Avena</i> | |
| Beet | <i>Beta</i> | |
| Brassica complex | <i>Brassica</i> et al. | Genera included are: <i>Brassica</i> , <i>Armoracia</i> , <i>Barbarea</i> , <i>Camelina</i> , <i>Crambe</i> , <i>Diplotaxis</i> , <i>Eruca</i> , <i>Isatis</i> , <i>Lepidium</i> , <i>Raphanobrassica</i> , <i>Raphanus</i> , <i>Rorippa</i> , and <i>Sinapis</i> . This comprises oilseed and vegetable crops such as cabbage, rapeseed, mustard, cress, rocket, radish, and turnip. The species <i>Lepidium meyenii</i> (maca) is excluded. |
| Pigeon Pea | <i>Cajanus</i> | |
| Chickpea | <i>Cicer</i> | |
| Citrus | <i>Citrus</i> | Genera <i>Poncirus</i> and <i>Fortunella</i> are included as root stock. |
| Coconut | <i>Cocos</i> | |
| Major aroids | <i>Colocasia</i> , <i>Xanthosoma</i> | Major aroids include taro, cocoyam, dasheen and tannia. |
| Carrot | <i>Daucus</i> | |
| Yams | <i>Dioscorea</i> | |
| Finger Millet | <i>Eleusine</i> | |
| Strawberry | <i>Fragaria</i> | |
| Sunflower | <i>Helianthus</i> | |
| Barley | <i>Hordeum</i> | |
| Sweet Potato | <i>Ipomoea</i> | |
| Grass pea | <i>Lathyrus</i> | |
| Lentil | <i>Lens</i> | |
| Apple | <i>Malus</i> | |
| Cassava | <i>Manihot</i> | <i>Manihot esculenta</i> only. |
| Banana / Plantain | <i>Musa</i> | Except <i>Musa textilis</i> . |
| Rice | <i>Oryza</i> | |
| Pearl Millet | <i>Pennisetum</i> | |
| Beans | <i>Phaseolus</i> | Except <i>Phaseolus polyanthus</i> . |
| Pea | <i>Pisum</i> | |
| Rye | <i>Secale</i> | |
| Potato | <i>Solanum</i> | Section <i>tuberosa</i> included, except <i>Solanum phureja</i> . |
| Eggplant | <i>Solanum</i> | Section <i>melongena</i> included. |
| Sorghum | <i>Sorghum</i> | |
| Triticale | <i>Triticosecale</i> | |
| Wheat | <i>Triticum</i> et al. | Including <i>Agropyron</i> , <i>Elymus</i> , and <i>Secale</i> . |
| Faba Bean / Vetch | <i>Vicia</i> | |
| Cowpea et al. | <i>Vigna</i> | |
| Maize | <i>Zea</i> | Excluding <i>Zea perennis</i> , <i>Zea diploperennis</i> , and <i>Zea luxurians</i> . |

Forages

| Genera | Species |
|----------------------|--|
| LEGUME FORAGES | |
| <i>Astragalus</i> | <i>chinensis, cicer, arenarius</i> |
| <i>Canavalia</i> | <i>ensiformis</i> |
| <i>Coronilla</i> | <i>varia</i> |
| <i>Hedysarum</i> | <i>coronarium</i> |
| <i>Lathyrus</i> | <i>cicera, ciliolatus, hirsutus, ochrus, odoratus, sativus</i> |
| <i>Lespedeza</i> | <i>cuneata, striata, stipulacea</i> |
| <i>Lotus</i> | <i>corniculatus, subbiflorus, uliginosus</i> |
| <i>Lupinus</i> | <i>albus, angustifolius, luteus</i> |
| <i>Medicago</i> | <i>arborea, falcata, sativa, scutellata, rigidula, truncatula</i> |
| <i>Melilotus</i> | <i>albus, officinalis</i> |
| <i>Onobrychis</i> | <i>viciifolia</i> |
| <i>Ornithopus</i> | <i>sativus</i> |
| <i>Prosopis</i> | <i>affinis, alba, chilensis, nigra, pallida</i> |
| <i>Pueraria</i> | <i>phaseoloides</i> |
| <i>Trifolium</i> | <i>alexandrinum, alpestre, ambiguum, angustifolium, arvense, agrocicerum, hybridum, incarnatum, pratense, repens, resupinatum, rueppellianum, semipilosum, subterraneum, vesiculosum</i> |
| GRASS FORAGES | |
| <i>Andropogon</i> | <i>gayanus</i> |
| <i>Agropyron</i> | <i>cristatum, desertorum</i> |
| <i>Agrostis</i> | <i>stolonifera, tenuis</i> |
| <i>Alopecurus</i> | <i>pratensis</i> |
| <i>Arrhenatherum</i> | <i>elatus</i> |
| <i>Dactylis</i> | <i>glomerata</i> |
| <i>Festuca</i> | <i>arundinacea, gigantea, heterophylla, ovina, pratensis, rubra</i> |
| <i>Lolium</i> | <i>hybridum, multiflorum, perenne, rigidum, temulentum</i> |
| <i>Phalaris</i> | <i>aquatica, arundinacea</i> |

| | |
|------------------|---------------------------------|
| <i>Phleum</i> | <i>pratense</i> |
| <i>Poa</i> | <i>alpina, annua, pratensis</i> |
| <i>Tripsacum</i> | <i>laxum</i> |
| OTHER FORAGES | |
| <i>Atriplex</i> | <i>halimus, nummularia</i> |
| <i>Salsola</i> | <i>vermiculata</i> |
